

Est. 1964





Maker of metal identification plates and tags for an infinite variety of industrial needs

Damon Co. metal identification plates and tags provide durable solutions for identification and traceability requirements in harsh environments. These products are utilized to identify raw materials, works in process, and finished goods. Damon Co. metal plates and tags are manufactured to ISO standards, using DFARS compliant material, to ensure the highest quality product. They are most often supplied blank and are designed for embossing, barcoding, laser engraving, indenting and screen-printing. Metal plate embossing is the only permanent method of marking that will withstand tarnish, paint, corrosion and environmental damage.

Damon Co. plates and tags are designed to be used in both manual feed and automatic feed machines, and are guaranteed for automatic feed when requested. In addition, Damon Co. has the ability to supply parts pre-marked: embossed, laser engraved, or screen printed.

The Damon Co. strives to meet or exceed the requirements of the customer's needs, a goal reflected in the products we make and the close relationships we build with our customers.

Metal Options For Tags and Plates

- Aluminum
- Stainless Steel
- Brass
- Tin Plate
- Galvanized Steel
- Colored Anodized Aluminum

Applications for Industrial Environments

- Machinery and Equipment ID
- Inventory and Asset Labeling
- Parts Tracking
- Logging & Forestry
- · Cable, Hose, and Pipe Systems
- Arboretums and Nurseries



Rectangular Tags








Manufacturing Specifications

- Guaranteed for automatic feed
- Burr requirements .0025" or less
- Oil free packaging








- Packaged to optimize feed ability
- American sourced material
- All tags are die cut





31 Size = 2.125" x 3.375" **CR80**

Hole & Slot Options

150 = (1) .500" hole # 000 = no holes # 215 = (2) .156" holes #115 = (1).156" hole # 225 = (2) .250" holes # C18 = (1) .188" hole (in corner) #415 = (4).156" holes # C20 = (1) .203" hole (in corner) # 1LG = (1) .125" x .500" slot# 125 = (1) .250" hole (centered)

#2TN = (2) .188" x .063" slots

CR50

Size = $1.725'' \times 3.5''$

Hole Options #118 = (1).188" hole # 000 = no holes #215 = (2).156 holes # 115 = (1) .156 hole #218 = (2).188" holes

 $Size = 1.725'' \times 3.5''$ **CR50**

Hole & Slot Options

#209 = (2).093" holes #000 = no holes#109 = (1).093" hole #215 = (2).156" holes # 221 = (2) .216" holes # 115 = (1) .156 hole #225 = (2).250'' holes #118 = (1).188" hole #420 = (4).200" holes # 125 = (1) .250" hole # 128 = (1) .281" hole #425 = (4).250'' holes #2TN = (2) .188 "x .063" slots# 150 = (1) .500" hole

Size = $2'' \times 3''$

Hole & Slot Options

000 = no holes # 1LG = (1) .125" x .500" slot# 112 = (1) .125" hole # 2LG = (2) .125" x .500" slots

#212 = (2).125" holes

HLG = (1) .125" x .500" luggage slot

 $Size = 1.375'' \times 3.75''$

Hole Options #121 = (1).218" hole #221 = (2).218" holes #000 = no holes

Size = $1.53'' \times 2.69''$

Hole Options #115 = (1).156 hole #000 = no holes #212 = (2).125 holes #112 = (1).125 hole #215 = (2).156 holes

Size = 1.874" x 2.425"

Hole Options

#000 = no holes#115 = (1).156 hole

Size = $1'' \times 2''$

Hole Options

#000 = no holes# 115 = (1) .156 hole #121 = (1).218"hole #215 = (2).156 holes

Size = $1.1'' \times 2.25''$

#000=no holes Hole Options #112=(1) .125 hole #212=(2) .125 holes

#425=(4) .250 holes

93

Size =

1.299" x 1.457" (33mm x 37mm)

Hole Options

000 = no holes # 122 = (1) .220" hole



 \bigcirc Size = .809" x 1.21"

Hole Options # 112 = (1) .125" hole

#000 = no holes

Size = 1.25" X (up to) 6" (variable length tag)

> Medical Size 1.25" x 2.25"

Medical ID Plate

Hole Options

114 = (1) .140" hole

#215 = (2).156" holes #425 = (4).250" holes

000 = no holes

Size =

.75" x 1.5"


Hole Options


#000 = no holes


112 = (1) .125" hole

#128 = (1).281" hole

Rectangular Tags













- Guaranteed for automatic feed
- Ideal for rapid embossing
- Scored for easy separation













(variable length tag)

- VIN plates
- Cable identification
- Hydraulic hose identification










(variable length tag)

Round & Octagonal Tags







Size = 2.125''

Hole Options

000 = no holes #112 = (1) .125" hole #125 = (1) .250" hole



Size = 1.5" Hole Options

000 = no holes # 112 = (1) .125" hole # 125 = (1) .250" hole



4"

Size = 1"

Hole Options

000 = no holes # 112 = (1) .125" hole # 125 = (1) .250" hole



Size = 1.5"

Hole Options
000 = no holes
118 = (1) .188" hole



Size = 1.25" Hole Options # 000 = no holes # 118 = (1) .188" hole







Round Tags

- Ideal for valve marking
- Available in a variety of colors

Octagonal Tags

- Designed for embossing
- Available in a variety of colors



- 1 #214 = (2) .140" holes
- 2 #114 = (1) .140" hole
- 3 #2RL = (2) .062" x .400" slots
- 4 #000 = no holes









- Available in stainless steel (bright and dull), brass and copper
- Manufactured to military specifications
- Not available in anodized colors



Hole Options # 000 = no holes

112 = (1) .125" hole # 125 = (1) .250" hole # 212 = (2) .125" holes

Anodized Colors

Light Blue - LB



Green = GR

Orange = RG



Violet = VT

Yellow = YL

Retail Pricing For Dog Tags and Related Items

DOGTAGS -	Stainless steel with rolled edge	1,000	5,000	10,000	25,000	50,000
20 series	1.12" x 2.00" x .014"	Per 1,000	Per 1,000	Per 1,000	Per 1,000	Per 1,000
20304DD4114	1 hole, stainless steel - dull	\$190	\$184	\$180	\$175	\$170
20304DD4214	2 holes, stainless steel - dull	\$190	\$184	\$180	\$175	\$170
20304BA4114	1 hole, stainless steel - bright	\$200	\$194	\$190	\$185	\$180
20304BA4214	2 holes,stainless steel - bright	\$200	\$194	\$190	\$185	\$180
20260ML6114	1 hole, brass	\$190	\$184	\$180	\$175	\$170
20260ML6214	2 hole, brass	\$190	\$184	\$180	\$175	\$170
DOGTAGS -	Aluminum without rolled edge	1,000	5,000	10,000	25,000	50,000
21 series	1.12" x 2.00" x .016"	Per 1,000	Per 1,000	Per 1,000	Per 1,000	Per 1,000
21A30ML6112	Mill finish aluminum	\$175	\$170	\$165	\$160	\$155
21A50CL6112	Clear anodized aluminum	\$237	\$230	\$209	\$188	\$179
21A50BK6112	Black anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50BL6112	Blue anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50BR6112	Brown anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50GR6112	Green anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50RD6112	Red anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50RG6112	Orange anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50VT6112	Violet anodized aluminum	\$275	\$267	\$247	\$225	\$219
21A50YL6112	Yellow anodized aluminum	\$275	\$267	\$247	\$225	\$219
DOGTAGS -	Aluminum without rolled edge	1,000	5,000	10,000	25,000	50,000
21 series	1.12" x 2.00" x .032"	Per 1,000	Per 1,000	Per 1,000	Per 1,000	Per 1,000
21A50CLJ112	Clear anodized aluminum	\$251	\$243	\$221	\$198	\$189
21A50BKJ112	Black anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50BLJ112	Blue anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50GRJ112	Green anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50RDJ112	Red anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50RGJ112	Orange anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50VTJ112	Violet anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A50YLJ112	Yellow anodized aluminum	\$330	\$320	\$297	\$273	\$261
21A52BKA112	Black (1-side) anod. aluminum	\$330	\$320	\$297	\$273	\$261
21A52DBJ112	Dark brown (1-side) anod. aluminum	\$330	\$320	\$297	\$273	\$261
	CHAINS	1,000	5,000	10,000	25,000	50,000
011004000045	A Ell steinless steel	Per 1,000	Per 1,000	Per 1,000	Per 1,000	Per 1,000
CH304093045	4.5" stainless steel	\$71	\$69	\$67	\$64	\$61
CH304093024	24" stainless steel	\$417	\$404	\$397	\$378	\$359
CH304093030	30" stainless steel	\$449	\$436	\$428	\$408	\$389
CHNPS093045	4.5" nickelplated steel	\$34	\$33	\$32	\$29	\$28 \$180
CHNPS093024 CHNPS093030	24" nickelplated steel 30" nickelplated steel	\$208	\$202	\$198 \$224	\$189	·
CHNP3093030	30 Hickelplated steel	\$243	\$236	\$231	\$221	\$210
		1,000	5,000	10,000	25,000	50,000
	SILENCERS	Per 1,000	Per 1,000	Per 1,000	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
RSBK	Black	\$160	\$155	\$140	Per 1,000 \$130	Per 1,000 \$120
RSCL	Clear	\$160	\$155	\$140 \$140	\$130	\$120
RS??	Colored *1	\$200	\$194	\$140	\$170	\$160
RS??	Glow in the dark *2	\$200	\$194 \$194	\$180	\$170	\$160
NO!!		•	· · · · · · · · · · · · · · · · · · ·			φ100
*1 - Colors:	Blue (RSBL), Gre Yellow (RSYL), Pin					
	Grey (RSGY),		• • •			
*2 - Colors:	Green (RSGD),	,			- ·	
	Gleen (NSGD),	I GIIOM (IZO)	וווג (ועסו), ו וווג (ועסו	וט, blue (RS	וטטו	

Accessories and Engraving Services



Laser engraved business cards on #31 and #25 tag



Please call for all embossed, silk screen or laser engraved applications



Most Popular Stocked Tags- Shown with Typical Hole Configurations



#10 / Standard Tag

- Part # 10304DD5215 (stainless steel with 2 –5/32" holes).
- Part # 10A30ML6215 (mill finished aluminum with 2 –5/32" holes).

Stainless Steel (.015") @ 500 per box 11.7 pounds each

Aluminum (.016") @ 1000 per box - 8.7 pounds each.



These tag images are not to scale



Size = 2.125" x 3.375"

C

12 / Small Standard

- Part # 12304DD5215 (stainless steel with 2 – 5/32" holes).
- Part # 12A30ML6215 (mill finished aluminum with 2 –5/32" holes).

Stainless Steel (.015") @ 1000 per box 15.8 pounds each

Aluminum (.016") @ 1000 per box- 6.3 pounds each.

#21 / Military Dog Tag

 Part # 21A50XXJ112 (anodized aluminum with 1 –1/8" hole).

This is also very popular in .032" in various colors with one or two holes. (blue, black, green, yellow, red, orange & violet)

Aluminum (.032") @ 500 per box 3.6 - pounds each.

31 / CR80 Tag

- Part # 31304DD5215 (stainless steel with 2 –5/32" holes).
- Part # 31A30ML6215 (mill finished aluminum with 2 —5/32" holes).

Stainless Steel (.015") @ 500 per box 15.2 pounds each.

Aluminum (.016") @ 1000 per box - 11.5 pounds each.

With Paint Mask Label Applied

33/ CR50 Tag

- Part # 33304DD5215 (stainless steel with 2 -5/32" holes).
- Part # 33A30ML6215 (mill finished aluminum with 2 –5/32" holes).

This tag is popular because of the larger radius corners, and a little smaller than the "31" tag. This came from the Sears credit card size and is called a "CR50" tag.

Stainless Steel(.015") @ 500 per box 13.7 pounds each.



#34 / Small Standard Tag

• Part # 34A30ML6215 (mill finished aluminum with 2 –5/32" holes .016" thick).

This is also very popular in .032" (part # 34A50XXJ000) in various colors with no holes. (blue, black, green, yellow, red).

Aluminum (.016") @ 500 per box 5.1 pounds each.

Aluminum (.032") @ 500 per box 10.3 pounds each.



#43 / Scored Tag

• Part # 43A30ML64RL (mill finished aluminum with 4 – .062" x .400" slots).

Designed to be embossed / marked first, and then to be broken into four strips. Used to identify cabling, hoses etc. on ships, aircraft and heavy equipment. Available in a variable length tag as well as one score and two score options.

Aluminum (.016") @ 1000 per box 11.0 pounds each.



43 / Scored Tag

Paint Mask Label for scored tag, label is easily removed on the job site after embossed and painted.

• Part # 43A30WL64RL (mill finished aluminum with 4 – .062" x .400" slots .016" thick). Available in a two score tag as well.

3M 7600 White Vinyl Labels

Face stock: 3.8 mils, soft gloss white, topcoat vinyl.

Adhesive: 3M Removable R3600




20 / Military Dog Tag

• Part # 20304DD4114 (304 stainless steel with a .140" hole and rolled edge)


This is also very popular for promotional use, military use and product marking.

Stainless Steel (.014") @ 100 per box 1 pound each.


#10 Hole and Slot Options




#12 Hole and Slot Options




#21 Hole and Slot Options




#31 Hole and Slot Options




#33 Hole and Slot Options



#34 Hole and Slot Options



#43 Hole and Slot Options



Sample Sheet for Ordering

1 - Tag Part Number

t Number
Dimensions
1.56" X 3.5"
1.00" X 3.50"
1.06" X 3.50"
1.57" x 3.15"
.680" X 3.30"
1.12" X 2.00"
1.12" X 2.00"
.809" X 1.21"
1.00" x 2.00"
2.00" x 3.50"
2.12" X 3.37"
1.72" X 3.50"
1.72" X 3.50"
2.00" X 3.00"
1.10" X 2.25"
.620" X 3.31"
1.37" X 3.75"
1.53" X 2.69"
.500" x 3.49"
2.12" X 3.37"
2.12" X 3.37"
2.12" X 3.37"
1.72" X 3.50"
2.12" Round
1.87" x 2.42"
1.50" Round
1.00" Round
2.87" X 4.00"
2.36" X 3.39"
2.82" X 3.75"
1.25" Hex
1.50" Hex
1.45" x 1.29"
.750" x 1.50"

2 - Material

Ordering	Material and Thickness and Description
Code	
A30ML0	Mill finish 3003 Aluminum, .010" thick
A30ML6	Mill finish 3003 Aluminum, .016" thick
A30MLE	Mill finish 3003 Aluminum, .025" thick
A30MLJ	Mill finish 3003 Aluminum, .032" thick
A50CL6	Clear anodized 5005 Aluminum, .016" thick
A50CLJ	Clear anodized 5005 Aluminum, .032" thick
A50XX6*	Anodized 5005 Aluminum, .016" thick (* replace XX with color code)
A50XXJ*	Anodized 5005 Aluminum, .032" thick (* replace XX with color code)
A50RDE	Anodized 5005 Aluminum, .025" thick
A52XXA*	Anodized 5205 Aluminum, .020" thick, Black and Dark Bronze Only
A50XXJ*	Anodized 5205 Aluminum, .032" thick , Black and Dark Bronze Only
260ML6	Mill finish 260 Cartridge Brass, .016" thick
260MLJ	Mill finish 260 Cartridge Brass, .032" thick
304DD2	Dull finish 304 Stainless Steel, .010" thick
304DD4	Dull finish 304 Stainless Steel, .014" thick
304DD5	Dull finish 304 Stainless Steel, .015" thick
316DD5	Dull finish 316 Stainless Steel, .015" thick
430BA5	Bright finish 430 Stainless Steel, .015" thick
304BK5	Black Painted 304 Stainless Steel, .015" thick
304DDJ	Dull finish 304 Stainless Steel, .032" thick
CRGMT5	Matte finish Galvanized Steel, .015" thick
CRTMT5	Matte finish Tinplated Steel, .015" thick
110ML6	Mill finish Copper

Sample Sheet for Ordering

3 - Finish

Color Code	Description
BA	Bright
ВК	Black
BL	Blue
CL	Clear
DB	Dark Bronze
BR	Brown
DD	Dull
GR	Green
LB	Lt. Blue
ML	Mill Finish
RD	Red
RG	Orange
VT	Violet
YL	Yellow

4 - Material Thickness

Code	Thickness
0	.010"
2	.012"
4	.014"
5	.015"
6	.016"
8	.018"
Α	.020"
E	.025"
J	.032"
K	.035"
М	.040"
Р	.050"
R	.062"

5 - Number of Holes

Hole or	Hole or Slot
Slot Code	Description
000	No holes
109	(1) .093" hole
112	(1) .125" hole
114	(1) .140" hole
115	(1) .156" hole
116	(1) .165" hole
118	(1) .187" hole
121	(1) .216" hole
125	(1) .250" hole
128	(1) .281" hole
137	(1) .375" hole
150	(1) .500" hole
209	(2) .093" holes
212	(2) .125" holes
214	(2) .140" holes
215	(2) .156" holes
216	(2) .165" holes
221	(2) .216" holes
225	(2) .250" holes
415	(4) .156" holes
425	(4) .250" holes
C18	(1) .188" hole in corner
C20	(1) .203" hole in corner
2TN	(2) .188' x .063" slots
1LG	(1) .125" x.500" slot
2RL	(2) .062" x.400"slots
4RL	(4) .062" x.400" slots

Part Number Description Breakdown

Example Part Number: 12304DD5125 (12-304-DD-5-1-25)

- $12 = \text{Tag Part Number } (1.06'' \times 3.50'')$
- 304 = Material (304 Stainless Steel)
- DD = Finish (Dull)
- 5 = Material Thickness (.015")
- 1 = Number of Holes (1)
- 25 = Hole Size (.250" OD)

Pricing Chart for Plates and Tags

	Tag#																Pric	Pricing Schedule	Sc	hec	Inle												
	10	11	12	13	14	20	21	23	24	25	31	32	33	34 3	35	36	37 3	38 4	40 41	1 42	2 43	3 46	20	51	53	54	65	29	89	74	75	93	94
Material																																	
A30ML6	B3		B2	B3	B2		A1	B1	B2	B5	B5	B4	B4 E	B5 E	B2 [B2 E	B4 B	B3 B	B2 C7	7 C7	7 C7	7 C5	B3	B5	B2	A1	B9	D4	B9	B2	B2	B2	A1
A30MLE	B7		B6	B7	B6		B4	B2	B3	B9	B9	B8	B8 [B9 E	B6 E	B6 E	B8 E	B7 B	B6 D4	4 D4	4 D4	4 C7	. B7	B9	B6	B4	C1	C8	C1	B6	B6	9 B	B4
A50CL6	B7		B6	B7	B6		B4	B2	B6	B9	B9	B8 I	B8 E	B9 E	B6 E	B6 E	B8 E	B7 B	B6 D4	4 D4	4 D4	4 C7	. B7	B9	B6	B4	C1	C8	C1	B6	B6	9 B	B4
A50CLJ	Ce		C2	92	C2		B6	B7	C2	D3	D3	C8 (C8 [D3 (C2 (C2 (C8 C	ce c	C2 F2	2 F2	2 F2	2 F2	C6	D3	C2	B6	E2	F2	E2	C2	C2	C2	B6
A50XX6	90		C2	90	C2		B9	B4	C2	D3	D3	C2 (C2 [D3 (C2 (C2 (C8 C	ce c	C2 E1	1 E1	1 E1	1 D6	C6	D3	C2	B9	E2	E2	E2	C2	C2	C2	B9
A52XXA	D2		C3	D2	C3		C2	B9	C3	DS	DS	D1	D1 [D5 (C3 (C3 [D1 [D2 C	C3 F2	2 F2	2 F2	2 F2	D2	D5	C3	C2	E2	F2	E2	C3	C3	ဧ၁	C2
A50XXJ	D7		C4	D7	C4		C2	C1	C4	E1	E1	De l	De E	E1 (C4 (C4	E1 C	D7 C	C4 F2	2 F2	2 F2	2 F2	D4	. E1	C4	C2	H2	F2	Н2	C4	C4	C4	C2
260ML6	D7	Н2	C4	D7	C4	A2	A2	C1	C4	E1	E1	E1	De E	E1 (C4 (C4 [D6 [D7 C	C4 G1	1 G1	1 G1	1 G1	D7	E1	C4	C2	H2	E2	Н2	C4	C4	C4	C4
260MLJ	G1		E2	G1	D6		D5	D1	D6	Н2	J1	H1	H1	H2	D6 [D6 L	J1 G	G1 D	D4				F2	G1	E1	D6	K5		K5	E1	D6	D1	E1
304DD5	D7	E2	C4	D7	C4	A 2	A3	C3	C4	E1	E1	D6	D6 E	E1 (C4 (C4	De L	D7 C	C4		4		D7	E1	C4	2	Н2		Н2	C4	C4	C4	C6
304BA5	D7	E2	C4	D7	C4	B1	A3	C3	C4	E1	E1	D6	D6 E	E1 (C4	C4	De L	D7 C	C4			4	D7	E1	C7	2	Н2		Н2	C4	C4	C4	C6
430BA5	D2	E2	C3	D2	C3	B1	C3	C2	C3	D5	D5	D1	D1 [D5 (C3 (C3 [D1 [D2 C	C3				D2	D4	C3	$^{\circ}$	Н2		Н2	C3	C3	C3	C6
CRGMT5	B7		B6	B7	B6		B4	B2	B6	B9	B9	B8	B8 E	B9 E	B6 E	B6 E	B8 E	B7 B	B6				B7	B9	B6	B4	C		C	B6	B6	B6	B3
CRTMT5	B3		B2	B3	B2		A1	B1	B2	B5	B5	B4	B4 E	B5 E	B2 [B2 E	B4 B	B3 B	B2				B3	B5	B2	A1	B9		B9	B2	B2	B2	B3
110ML6	JZ	Х3	H	72	F1	D4	F1	E2	F1	K2	K2	K1	K1	K1	F1 F	F1	K3 K	K1 E	E2				H2	7	G1	F2	K5		K5	G1	F2	E2	F2
304DDJ	F2		E1	F2	D6		D6	D3	D6	G1	G1	Ξ	H	G1	De 1	D6 F	F2 F	F2 D	D5				E2	E2	Е1	9Q	조		<u>주</u>	D6	D6	D7	D7

																206	ssik	Se	Ž	ate	<u>ria</u>	Ö	Jmc	Possible Material Combinations	atic	Suc										
Material #	10 11		12 13	13 14	20	21	23 24	24	25	31 3	32 3	33 3	34 35	92 36	-	38 40 41 42	41	42	43	46	20	51	53	54 6	.9	67 6	72 89	74 75	93	94	٧1	٧3	93 94 V1 V3 V5 V6	9/		
A30ML0																																>		_	Mill finished Aluminum (3003)	.010.
A30ML6	1	*	1	1		^	/	· /	>	1	,	V V	<i>></i>	>	>	<i>></i> .	>	>	1	1	1	^	,	V ,	1		1	,	<i>></i>	1	>			ľ	Mill finished Aluminum (3003)	.016"
A30MLE	^	*	<i>></i>	>		>	>	>	>	,	,	<u> </u>	<i>></i>	1	>	`	>	>	1	>	>	>	`	^	1	^	>	`		^	1			_	Mill finished Aluminum (3003)	.025"
A30MLJ	>	^	1	1		1	1	^	>	^	, ,	^	1	1	>	`	>	1	>	1	>	^	,	` `^	^ ^	^	1	<i>></i>	1	٨			^	_	Mill finished Aluminum (3003)	.032"
A50CL6	1	*	1	1		^	/	^	1	^	1	× ×	1	1	>	<i>></i>	^	1	^	1	>	^	,	У	1	^	<i>></i>	`	<i>></i>	^	1			U	Clear Anodized Aluminum (5005)	.016"
A50CLJ	1	>	1	1		>	>	1	1	1	, ,	× ×	1	1	<i>></i>	,	>	1	1	1	/	>	,	, ,	1		1	` <u>`</u>	`	^				√ (C	Clear Anodized Aluminum (5005)	.032"
A50XX6	1	*	<i>></i>	1		>	>	1	>	1/	`	^	<i>></i>	>	>	<i>></i> .	>	>	^	>	>	^	<i>></i>	^	1		<i>></i>	`	>	>	1			1	Anodized Aluminum (5005)	.016"
A50XXJ	1	*	1	1		^	^	,	/	1	, ,	× ×	1	/	>	<i>></i>	^	^	^	1	1	^	,	, ,	1		<i>> ></i>	`	<i>></i>	1				1	Anodized Aluminum (5005)	.032"
A50RDE																																		1 1	Anodized Red Aluminum (5005)	.025"
A52XXA	1	*	1	1		>	1	>	>	1	`	^	1	<i>></i>	>	1	>	1	^	>	^	^	`	^	<i>></i>		1	1	<i>></i>	>	1		>	0	Color-In Anodized Aluminum (5205)	.070.
A52DBJ *	`	`	>	/		>	>	^	>	^	`	<i>></i>	1	/	>	>	1	>	>	1	>	>	`	, ,	^	`	>	`	`	>			>	j	Dark Bronze Color-In Alum. (5205)	.032"
260ML6	^	*	<i>></i>	1	>	1	>	1	>	, ,	`	` <u>`</u>	<i>></i>	<i>></i>	>	<i>></i> .	>	>	^	>	>	>	`	^	1	<i>></i>	>	`	<i>></i>	^	^			0	Cartridge Brass	.016"
260MLJ *	1	>	1	,		1	>	1	<i>></i>	1	, ,	V V	1	_	1	1					/	>	, ,	× ×	<i>></i>	^	1	`		^				0	Cartridge Brass	.032"
304DD2																																^		6)	Stainless Steel (304 Dull)	.012"
304DD4					1	^	>	^					7	//							>		,	1			`	`	`	1				6)	Stainless Steel (304 Dull)	.014"
304BA4					1	1	>	^					>	_	7						>		, ,	~			^	`	`	^				0)	Stainless Steel (304 Bright)	.014"
304DD5	1	1	1	1		1	>	· /	<i>></i>	1	, ,	× ×	1	/	1	,					>	1	,	V ,	^	`	/	`	`	^		>	>	6)	Stainless Steel (304 Dull)	.015"
316DD5	^	1	<i>></i>	>		^	>	· /	`	,	`	^	1	^	>	`					>	>	` `	,	^	>	>	`	`	>				0,	Stainless Steel (316 Dull)	.015"
304BA5	^	>	<i>></i>	/	<u> </u>	>	>	,	<i>></i>	1	<u>,</u>	× ×	1	1	<i>></i>	`					>	>	<i>></i>	× ,	`	^	<i>></i>	,	`	~				0)	Stainless Steel (304 Bright)	.015"
430BA5	1	*	1	1		^	>	· /	<i>></i>	1	, ,	1 4	1	1	<i>></i>	,					/	>	,	V ,	^	1	/	`		1				6)	Stainless Steel (430 Bright)	.015"
304BK5 *	/	~	<u> </u>	1		`	/	`	,	<u>,</u>	,	V V	1	1	<i>></i>	` <					`	>	1	× ×	~	>	<u> </u>	`	`	^				0,	Stainless Steel (304 Black One Side)	.015"
304DDJ *	1	^	^			^	^	>	`	1	, /	× ×	1		>	<i>></i> .					>	^	,	У	^	>	^	`		^				0)	Stainless Steel (304 Dull)	.032"
CRGMT5	1	*	1	1	7	>	>	· /	<i>></i>	1	, ,	× ×	1	/	<i>></i>	,					^	>	,	V ,	^	1	/	`	`	1				Ш	Electro-Galvanized Steel	.015"
CRTMT5	>	>	>	>		>	>	>	>	,	>	>	>	>	,	`					>	>	>	`	>	>	<i>></i>	`	`	>				_	Electro-Tin Plated Steel #25 Matt	.015"
110ML6 *	>	,	<i>></i>	>	>	>	1	>	>	,	,	<u>,</u>	>	✓	<i>></i>	`	>	>	>	>	>	>	<i>></i>	<i>,</i>	1		<i>></i>	`	`	>				_	Mill Finish Copper (110)	.016"
						,					Ì		*	Mos	+ + 200	ore e	000	o loic	* Most tags are special order and may not be available in small quantities	Puc	700	4+00	10 00	dollo	2.0	0	2	hititic	0		Ì	Ì	Ì		Broy	

Black=BK

Price	1,000	5,000	10,000	25,000	50,000
<u>Code</u>	Per 1,000	Per 1,000	Per 1,000	Per 1,000	Per 1,000
A1	\$175	\$170	\$165	\$160	\$155
A2	\$190	\$184	\$180	\$175	\$170
А3	\$195	\$189	\$185	\$180	\$175
B1	\$200	\$194	\$190	\$185	\$180
B2	\$221	\$214	\$191	\$170	\$161
В3	\$227	\$220	\$198	\$177	\$167
B4	\$237	\$230	\$209	\$188	\$179
B5	\$246	\$239	\$216	\$195	\$186
В6	\$251	\$243	\$221	\$198	\$189
В7	\$260	\$252	\$231	\$210	\$201
В8	\$268	\$260	\$239	\$217	\$208
В9	\$275	\$267	\$247	\$225	\$219
	4=.0	4 20.	4 =	4 225	42.0
C1	\$313	\$304	\$285	\$261	\$252
C2	\$330	\$320	\$297	\$273	\$261
C3	\$343	\$333	\$310	\$286	\$274
C4	\$366	\$355	\$333	\$309	\$298
C5	\$371	\$360	\$343	\$308	\$298
C6	\$375	\$364	\$341	\$317	\$306
C7	\$386	\$374	\$359	\$321	\$311
C8	\$396	\$384	\$362	\$338	\$327
	ψοσσ	φοστ	Ψ002	φοσο	ψ021
D1	\$408	\$396	\$375	\$350	\$339
D2	\$410	\$398	\$376	\$352	\$340
D3	\$412	\$400	\$381	\$358	\$349
D4	\$420	\$407	\$393	\$355	\$344
D5	\$438	\$425	\$404	\$380	\$369
D6	\$465	\$451	\$433	\$410	\$399
D7	\$477	\$463	\$446	\$422	\$412
	ψ-11	ψ+00	ψητο	ΨΤΖΖ	ΨΤΙΖ
E1	\$514	\$499	\$482	\$456	\$452
E2	\$589	\$571	\$555	\$529	\$518
LL	ψ505	ΨΟΤΙ	ψοσσ	ψ020	ψοιο
F1	\$600	\$582	\$564	\$522	\$516
F2	\$630	\$611	\$596	\$570	\$559
	4000	Ψ011	ψουσ	ψο. σ	4000
G1	\$700	\$679	\$658	\$609	\$602
	4.00	ψο. σ	4000	4000	4002
H1	\$800	\$776	\$752	\$696	\$688
H2	\$849	\$824	\$818	\$793	\$782
	70.0	7	+5.5	7.00	7.02
J1	\$900	\$873	\$846	\$783	\$774
J2	\$950	\$922	\$893	\$827	\$817
	¥000	4022	¥000	¥0=1	¥011
K1	\$1,000	\$970	\$940	\$870	\$860
K2	\$1,100	\$1,067	\$1,034	\$957	\$946
K3	\$1,200	\$1,164	\$1,128	\$1,044	\$1,032
K4	\$1,300	\$1,261	\$1,222	\$1,131	\$1,118
K5	\$1,400	\$1,358	\$1,316	\$1,131	\$1,118
173	Ψ1, 1 00	ψ1,000	ψ1,010	Ψ1,210	Ψ1,204

Roll of Aluminum Strapping

• Part #T1 = 5/16" x .016" x 85' Mill finished aluminum

Works in conjunction with any slotted tag

• Part #T2 = 1/2" x .016" x 85' Mill finished aluminum

Works in conjunction with any slotted tag




- Useful for fastening tags with slots
- Easily cut for application
- 85' per roll

Part Number	Per Case 1-9	Per Case 10-49	Per Case 50-99	Per Case 100+
T1A30ML6085 20 rolls per case .016" x .3125" x 85'	\$210.00	\$201.50	\$197.00	\$193.00
T2A30ML6085 10 rolls per case .016" x .500" x 85'	\$140.00	\$135.00	\$132.00	\$129.00

Retail Pricing For Plant Signage





Quantity:	<100	100+
Black aluminum sign stake with (2) 6-32 hol	es (sign not included)	
Part Number	Per Unit	Per Unit
Stake 24 24" x .75" x .13" With mounting holes for signs	\$8.50	\$8.00
Stake 18 18" x .75" x .13" With mounting holes for signs	\$8.00	\$7.50
Stake 12 12" x .75" x .13" With mounting holes for signs	\$7.50	\$7.00
.032" non fading dark bronze aluminum sig	ns drilled for rivets	
PS165A52DBJ 2.87" x 4" x .032" with radius corners Holes to match the stakes	\$0.85	\$0.80
PS2A52DBJ3X5 3" x 5" x .032" with radius corners Holes to match the stakes	\$0.90	\$0.85
Laser engraving only (sign not included)		
Custom Engraving (1 side)	\$2.53	\$2.35

Material Descriptions

3003H14 Aluminum

3003 Aluminum alloy is aluminum alloyed with 1.2% manganese, which increases the strength of the metal over commercially pure aluminum. This alloy has excellent workability, weldability, and corrosion resistance for an aluminum material. It is widely used for drawing, spinning, fuel tanks, sheet metal work, and other applications requiring moderate strength with good workability. It has higher strength than pure aluminum (1100 series).

H14 designates the temper, and indicates that the metal has been strain hardened and partially annealed. In this condition, the metal can be easily formed, with a zero bend radius in thicknesses up to 1/32" thick. Embossing or debossing metal in this temper will not fracture or strain the metal.

5005/5205 Aluminum

This alloy is often referred to as AQ or Anodize Quality aluminum. Alloys in this series possess good welding characteristics and good resistance to corrosion in a marine atmosphere. The major alloying element of this material is magnesium in sufficient quantities to cause substantial lowering of the melting point without producing brittleness in the resulting alloy. When magnesium is used as the major alloying element or with manganese, the result is a moderate to high strength non-heat-treatable alloy.

The 5005 variety is anodized with a variety of organic colors. Long-term exposure to bright sunlight may fade the colors.

The 5205 variety is cobalt salt impregnated, colored on one side only, and available only in black. Long-term exposure to sunlight has shown no noticeable fading.

316 Stainless Steel

Alloy 316/316L is molybdenum-bearing austenitic stainless steel. The higher nickel and molybdenum content in this grade allows it to demonstrate better overall corrosion resistant properties than 304 stainless steel, especially with regard to pitting and crevice corrosion in chloride environments. In addition, Alloy 316/316L provides excellent elevated temperature tensile, creep, and stress-rupture strengths, as well as outstanding formability and weldability.

Alloy 316L is the lower carbon version of the 316 and is immune from sensitization, therefore it is very frequently used in heavy gauge welded components.

430 Stainless Steel; 14-18 Chromium

This high chromium, low carbon stainless steel has good mechanical and physical properties, good corrosion resistance to many dilute organic acids and very dilute salt solutions, and excellent resistance to nitric acid. It withstands destructive heat scaling up to about 1550°F.

Type 430, when welded, is susceptible to grain growth with some loss in ductility and toughness. For this reason it is not recommended for welded sections which will be exposed to shock or vibration in service. Because of it's strength, toughness, and resistance to heat oxidation, as well as to chemical and atmo-

spheric corrosion, type 430 is used in range oil burners, heat exchanger flues, annealing furnaces, and oil and gas furnace combustion chambers.

Type 430 is magnetic.

■ 304 Stainless Steel; 18-8 Low Carbon

This grade is similar to type 302 except that it has a guaranteed maximum carbon content of 0.08%. The lower carbon content was developed to minimize susceptibility to intergranular corrosion which may result from the carbon separation that takes place in high carbon 18-8 alloys when the metal is heated within the temperature range of 900° - 1650°F. In welding, this temperature gradient is always encountered at a slight distance on each side of the weld, in which area carbide separation takes place.

Type 304 is especially recommended for welded construction where severe corrosive conditions are encountered, such as in the dairy, chemical, paper, and textile industries. This low carbon grade is not ordinarily required for welded construction subjected only to atmospheric conditions.

Type 304 is non-magnetic.

Galvanized Steel

This is a standard commercial quality electro-galvanized steel sheet which has been electrolytically zinc coated in coils. Its zinc coating is so completely bonded to the base metal that it will not flake or peel under the most severe forming or drawing operations. It is available with a plain commercial finish not requring additional processing, or bonderized for enameled, lacquered or painted parts.

Galvanized steel has a silver grey matte finish, generally acceptable on interior parts. Also has good corrosion resistance, again useful for interior parts where added rust protection is required.

■ Electro-Tinplated Steel

This material has a .25# coat, matte finish, and T-1 hardness. It is characterized by excellent forming qualities, and therefore is often utilized for metal plates to be embossed. It also has good paintability, particularly with matte finish. Electro-tinplate is an inexpensive material with excellent properties for stamping applications.

260 Cartridge Brass – Copper, 70%; Zinc, 30%

Cartridge brass, 70%, has excellent tensile strength and is very ductile, being better than Yellow Brass in this respect. It can be subjected to severe cold working in deep drawing, spinning, rolling, stamping, flaring and forming. It is also known as Deep Drawing Brass, Grommet Brass, Spring Brass, and Spinning Brass, indicative of its fabricating qualities. It is ideally suited for the production of artillery and small arms cartridge cases and for musical instruments, snap fasteners, eyelets, reflectors, lighting fixtures, and automobile radiators.

Arboretums and Nurseries

- Plants and species identification
- Tree identification

Automotive

- V.I.N. plates
- Body code plates
- Parts (axles, transmissions, etc.)

Building Construction

- Raw material identification
- Storm door identification
- Window identification

Chemical / Petroleum

- Batch identification
- Offshore drilling identification
- Valve identification

Concrete Products

- Product identification
- Pipe, rebar identification

Commercial

- Tractor trailers
- Farm equipment
- Lawn tractors
- Heavy equipment
- Mine equipment
- Snow making equipment
- Airports

Exporting

- Identification of items
- Crates and containers

<u>Medical</u>

- Instrument identification
- Waste management
- Building management

Mold Inserts

Rubber and plastic

Nameplates

- Asset plates
- Laser engraved
- Silk screened
- Embossed
- Etch and fill
- Pad printed
- Promotional

Personal

- G.I. Dog Tags
- Bikers, joggers, hikers, etc
- Promotional

Railroad Repair Facilities

- Permanent identification
- Work in process

Recreation

- Trailers
- Recreational vehicle
- Boats
- Small planes

Shipbuilding / Aircraft

- Electrical cable tags
- Tags for overhaul identification
- Signage
- Hydraulic hose identification

Steel Mills

- Coil identification
- Batch identification
- Fabricated part identification
- Rod and wire identification

Utilities

- Cable identification
- Power plant identification
- Utility pole identification
- Valve identification



Definition of Standard Tag

- A standard tag is one shown in the Damon Co. catalog and one that can be made with current tooling. Most "standard" tags will not require a set up fee.
- Anything else is a "Special" tag which will require a quote from The Damon Co. and a possible set up fee (see below).

Set Up Fees

• Any non-standard order will be charged a \$100.00 setup fee for orders under 5,000 tags. For orders of 5,000 tags and over the fee will be waived.

Minimum Orders

· Minimum order to be \$50.00.

Blanket Orders

- Blanket orders are offered for 12 or 18 month time periods with scheduled release dates pre-determined by the customer.
- Blanket orders require a minimum of 10,000 tags to be ordered.
- Blanket orders require a signed Blanket Order Form and Blanket Schedule Form.

Special Order Requirements

- All special orders must have approved drawings to show hole locations and dimensions.
- All tags or plates to be produced without a preexisting die will have +/- of .025" tolerance on size and hole / holes location and burr.

Product Labeling

- There is no fee for products shipped with our standard label.
- Fee of \$0.50 cents per box to be relabeled to the customer's requirements. Customer must either supply new labels or submit a sample of their labeling requirements. This fee is waived for blanket orders.

Blind Shipments

- \$5.00 flat fee, above the shipping fee, for all shipments shipped "blind" per customer request. This fee is waived for blanket orders.
- We cannot guarantee blind shipments to be truly "blind" as every package can be tracked back to the original shipper. We will work diligently to fulfill the customer's request.

Shipping

- All below costs are in addition to standard shipping costs.
- Additional \$5.00 flat shipping fee for all ground shipments (up to ten boxes per packing slip). All shipped to one location.
- Additional \$10.00 flat fee for expedited shipments (NDA, 2nd DA) (one time fee per packing slip). All shipped to one location. Orders must be before 3:00 PM (EST).
- Additional \$20.00 flat fee for all UPS, Fed-X and USPS shipments (one time fee per packing slip) for orders taken after 3:00 PM (EST) to be shipped that same day, as requested by the customer. This does not guarantee that the product can be shipped that day.
- \$15.00 pallet fee for all motor freight shipment that requires a non-heat treated pallet (one time fee per packing slip).
- \$10.00 pallet fee for any motor freight shipment that requires a heat treated pallet (one time fee per packing slip).
- \$50.00 pallet fee for all motor freight shipments (one time fee per packing slip) for orders taken after 2:00 PM (EST) to be shipped that same day, as requested by the customer. (This does not guarantee that the product can be shipped that day if ordered too late).

Delivery

- If desired, customers must request shipped product to be insured, as we cannot be responsible for damage occurring during shipment once it has left our facility.
- Delivery for all standard in stock tags is normally one week or less, or as quoted.
- Delivery for all non-standard tags is as quoted.
- We will not guarantee a shipment date (blanket orders excluded), and will not incur expedited fees for any special orders. We will try to accommodate the customer's requests.
- Requests for expedited orders must be sent in writing and will incur an additional fee.

Return Order Policy

- We will accept returns of full boxes of standard tags no later than 60 days after receipt of shipment. A 15% restocking fee will be applied unless we did not make the parts to order specifications.
- We will not accept returns of special items unless we did not make the parts to order specifications.

Sample Order Policy

- We will send samples via the carrier and service of the customer's choosing. If a customer requests expedited samples, the shipping cost will be billed to the customer.
- The price for a partial box of tags will be 20% above retail. These tags will not be offered at a discounted rate.

Disclaimer

 Tags are not guaranteed to be scratch free. We will, however, make every effort to produce a cosmetically mark free product.



The Damon Company was started by Wayne Herkness in 1964. Before his career as an entrepreneur, Mr. Herkness was a Commander of two destroyers in the Navy, hence the



modified Trident as the Company's logo. Now a third generation family owned and operated business, we are proud that Damon Company has been carrying on Mr. Herkness' tradition of producing high quality products that play an integral role in our customers' success.

Our facility is **ISO certified** and our employees manufacture all products under the strict guidelines of

this program. We strive to produce high quality burr and oil free metal tags designed to be used in both manual and automatic feed machines.

All of us at the Damon Company would like to thank those who have done business with us over the years, as well as welcome new customers. We look forward to supplying you and your customers with high quality, American-made products for years to come.

For a complete presentation of services, product specifications and capabilities, please visit our website – **www.damonco.com**

Contact

Damon Co.

2117 Salem Industrial Dr. PO Box 995 Salem, Virginia 24153

> Tel: (540) 389-8609 Fax: (540) 389-8556

Toll Free: (877) 389-8609

Inside Sales

- Margaret Harris (Sales) mdharris@damonco.com
- Steve Fejes (Sales)
 Laser Engraving,
 Silk Screen & Embossing
 sfejes@damonco.com
- Sam Newsom: snewsom@damonco.com

Accounting and Billing

• Tina Embrey tembrey@damonco.com

Machine Shop

• Stephen Stump sstump@damonco.com

